بسم الله الرحمن الرحيم

التقارير في الاوراكل (ريبورت بلدر)

ملحق2 سلسلة الاوراكل(الريبورت بطريقة الوزرد)

المبرمج : **ابوبكر زكريا**

Top200420042003@gmail.com

لا تنسوني من صالح الدعاء

جزاكم الله خير

بسم الله والصلاة والسلام على سيدنا محمد

اللهم لا علم الا ما علمتنا


توضيح

هذا الملحق يشبه الملحق الاول الا انه يوجد اختلاف في الجزء الاخير منه حيث انه في


الملحق الاول لم يضهر التقرير على المتصفح وذلك لعدم وجود طابعة

اما في هذا الملحق سيتم كتابة كود مختلف فيسضهر التقرير

يجب فتح oc4j




نفتح الريبورت ديفيلوبر






نختار الطريقة الاولى wizard


Ok


Report Wizard
Welcome to the Report Wizard!
This wizard guides you through the process of creating a variety of reports ranging from simple tabular to complex matrix.
Click Next to proceed with creating your report.
Once you've created a report, you can modify it by choosing Report Wizard from the Tools menu.
Show this page next time
Cancel
Help
< Back
Next >
Finish


Next


Report Wizard
Choose the type of layout you would like to generate:
Create both Web and Paper Layout
Create Web Layout only
Create Paper Layout only
Cancel
Help
< Back
Next >
Finish


Next


Report Wizard
Choose the report style that most closely resembles the report you would like to create.
You may also include a title.
Title:
home
Tabular
Group Left
Group Above
Matrix
Matrix with Group
Form
Form Letter
Mailing Label
Cancel
Help
< Back
Next >
Finish


Next


Report Wizard
Choose a data source type below:
Express Server Query
JDBC Query
OLAP Query
SQL Query
Text Query
XML Query
Cancel
Help
< Back
Next >
Finish

Next




Query builder




نكتب اليوزر والباسوورد لقاعدة البيانات

Connect




Include

Close




نؤشر الحقول المطلوبه


Ok


Report Wizard
Select the data that you will use in your report.
Data Source definition:
SELECT ALL EMPLOYEES.FIRST_NAME,
EMPLOYEES.PHONE_NUMBER, EMPLOYEES.HIRE_DATE,
EMPLOYEES.SALARY
FROM EMPLOYEES
Query Builder...
Import Query...
Connect...
Cancel
Help
< Back
Next >
Finish

Next



Report Wizard
Select the fields that you would like to display in your report. You may add other fields later.
Available Fields:
Displayed Fields:
FIRST_NAME
PHONE_NUMBER
HIRE_DATE
SALARY
Cancel
Help
< Back
Next >
Finish

Next




نؤشر على ال salary ثم نظغط sum


هذا اذا اردنا عمل مجموع رواتب الموضفين




Next


Report Wizard
Modify the labels and widths (number of characters) for your fields and totals as desired.
Fields and Totals
Labels
Width
FIRST_NAME
First Name
10
PHONE_NUMBER
Phone Number
10
HIRE_DATE
Hire Date
9
SALARY
Salary
10
SumSALARYPerReport
Total:
10
Cancel
Help
< Back
Next >
Finish


Next


Report Wizard
Choose a template for your report. Your report will inherit the template's colors, fonts, line widths, and structure.
Predefined template:
Beige
Blue
Gray
Green
Peach
Wine
Template file:
Browse...
No template
Cancel
Help
< Back
Next >
Finish


Next




Finsh



يجب حفظ التقرير في هذا الامتداد



ويجب ان يكون بالامتداد rdf




Save

ثم يجب ربطه بالفورم

1- عمل server


نذهب الى ال run




Ok




نذهب الى الفورم بلدر




نؤشر على الريبورت ونضغط على +



MODULE1: New Report
Create New Report File
Filename:
Browse...
Base Report on Block:
Select...
Use Existing Report File
Filename:
C:\DevSuiteHome_1\repadm61\SRW\r1.rd
Browse...
OK
Cancel
Help

Ok



Object Navigator
REPORT2
Find:
Forms
MODULE1
Triggers
Alerts
Attached Libraries
Data Blocks
Canvases
Editors
LOVs
Object Groups
Parameters
Popup Menus
Program Units
Property Classes
Record Groups
Reports
REPORT2
Visual Attributes
Windows
Menus


F4






ننشى داتا بلوك





Object Navigator
BLOCK3
Find:
Forms
MODULE1
Triggers
Alerts
Attached Libraries
Data Blocks
BLOCK3
Triggers
Items
Relations
Canvases
Editors


F2


MODULE1: CANVAS4 (BLOCK3)
Canvas:
CANVAS4
Block:
BLOCK3
Segoe UI
PUSH_BUTTON5


F11


MODULE1: Triggers
Find
wHEN-%
WHEN-BUTTON-PRESSED
WHEN-MOUSE-CLICK
WHEN-MOUSE-DOUBLECLICK
WHEN-MOUSE-DOWN
WHEN-MOUSE-ENTER
WHEN-MOUSE-LEAVE
WHEN-MOUSE-MOVE
WHEN-MOUSE-UP
WHEN-NEW-ITEM-INSTANCE
Find
OK
Cancel


Ok


PL/SQL Editor
Name: WHEN-BUTTON-PRESSED
Type: Trigger
Object: BLOCK3
PUSH_BUTTON5
declare
r report_object;
run_rep varchar2(200);
begin
r:=find_report_object('emp');
run_rep:=run_report_object(r);
end;
Modified
Not Compiled


Connect...








نظغط الزر
ويظهر الربورت

وذلك لعدم وجود طابعة


ولتخطي هذه الحاله سوف نتبع طريقة اخرى ولكن الاختلاف في الفورم بلدر فقط

الخطوات


نعمل تقرير جديد




F4 على التقرير rep



نضيف زر نسميه rep




F11





```
declare
    url varchar2(200);
begin
    url:='/reports/rwservlet?report=r1.rdf&desformat=pdf&destype=cache&userid=hr/hr@orcl&paraform=no';
    web.show_document(url,'_blank');
end;
```

ننفذ



عند الضغط على الزر rep



يجب ان يكون محرر ال pdf مسطب على الجهاز